


# CHARIOT COURT

The Precision Chariot Court Collection adds increased curb appeal to your home with 18 highly defined carriage house garage door designs.

### PANEL DESIGNS



### CONSTRUCTION



### STEEL

Four-Layer: Overlay + Steel + Insulation + Steel


- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8 5/8" composite overlay trim



## **CHARIOT COURT**



### DESIGNS AVAILABLE WITH WINDOWS



### DESIGNS AVAILABLE WITHOUT WINDOWS/ WITHOUT ARCHES





<sup>\*</sup>Available in 6' width (no window options). Closed Square only.

# **CHARIOT COURT**

# Precision DOOR SERVICE


### DESIGNS AVAILABLE WITH WINDOWS








# DESIGNS AVAILABLE WITHOUT WINDOWS WITH ARCHES





<sup>\*</sup>Available in 6' width (no window options). Closed Square only.

# © 2018 PHB. Each franchise independently owned and operated. Warranty coverage supplied by the Precision Door Service franchise servicing your



### SPECIFICATIONS

Insulation <sup>1</sup>	Polystyrene
R-Value <sup>2</sup>	6.48
Door Thickness	2"
Steel Thickness	27/27 Gauge
Wind Load Option <sup>3</sup>	<b>~</b>
Paint Finish Warranty	Lifetime
Hardware Warranty <sup>4</sup>	Lifetime

- <sup>1</sup> Insulation has passed self-ignition, flamespread and smoke developed index fire testing.
- <sup>2</sup> Calculated door section R-value is in accordance with DASMA TDS-163.
- $^{\rm 3}$  It is your responsibility to make sure that your garage door meets local building codes.
- <sup>4</sup> Hardware warranty includes springs, cables, drums, rollers, and bearings.

For complete warranty details, contact your local Precision Door Service.

### COLOR OPTIONS



TRUE WHITE/WHITE (W1)



ALMOND/WHITE (A1)



WICKER TAN/ WHITE (K1)




SANDTONE/WHITE (S1)

Actual paint colors may vary from samples shown...

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings.

### WINDOW OPTIONS



### WINDOWS



Large rectangular or arched window designs in 24" top sections

5/8" thick decorative window grilles with coped edges

Available in double-strength, obscure or insulated glass

### OVERLAY TRIM




- 5/8 thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Coped edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode


### DECORATIVE HARDWARE



Aluminum decorative strap hinges with clavos not recommended for arch openings.



STAMPED STEEL



MAGNETIC ABS VINYL

<sup>‡</sup>2-sided adhesive disks must be purchased separately.